



2013 ICHO GAZETTE

International Curly Horse Organization

HC31 Box 102A, Williamsburg, NM 87942

office@curlyhorses.org

www.ichocurlyhorses.org

SPRING GAZETTE 2013

ICHO BOARD

- **Pres. Joan Henning**
Region 5
JHenning_joanie@yahoo.com
- **VP Trish Rosborough**
Region 7
trish@yanagistables.com
- **Treas. Donna Hedicke**
Region 4
dhedicke@earthlink.com
- **Registrar Jackie Richardson**
Region 3
registrar@curlyhorses.org
- **Web Manager Sheryl D'Uva** Region 1
Region 1
cozynookcurlys@gmail.com
- **Marge Murdoch**
Region 2
Edward.murdock@hughes.net
- **Terry Schmidt**
Region 6
teschmidt@comcast.com
- **Sandra Hendrickson**
Region 5 At Large
greycoat@comcast.net
- **Janice Voss-Crosby**
Region 3 At Large
crosbyvoss@yahoo.com
- **Marianne Bornemark**
Region 8
mbornemark@gmail.com

Happy Spring Everyone! This exciting time of year readies itself with a new spring Curly foal crop, trail rides to enjoy the warm weather, and a new show season, all anticipated through a long winter of waiting. Here at ICHO headquarters, plans have been made for the 2013 AGM at Pagosa Springs, CO, on the ranch of Dr. Mitch Wilkinson and his wife, Cheryl. We have included a little information about Pagosa Spring's attractive vistas and history, the hot springs sound delightful to me!

We are also excited to bring Curly horse cutting-edge scientific information to you, the **Gait Gene Study**. We are looking very forward to collecting the information data that supports the presence of the gait gene in the Curly horse, curly coated to smooth coated. What makes this project exceptional, is that ICHO is the first organization to host this new opportunity to seek the presence of the gaited gene, whether of heterozygous or homozygous genotypes, only in Curly horses.

Hope to see you in Colorado in August! Until then, happy riding! Joanie, Angel Leggs and Babydoll, ICHO # 1263D/1222D.



2013 ICHO Calendar and items are available at:

<http://www.cafepress.com/icho>

GAZETTE AD DEADLINE

We now have a new Gazette ad deadline schedule for submitting ads as follows:

WINTER: Dec 15

SPRING: Mar 15

SUMMER: June 15

FALL: Sept 15

Ads that are received after the deadline will be run in the next following issue. Payments must also be made before the deadline. All ads and payment must be sent to the office. Thanks!

ARTICLES- We are always looking for interesting articles for the Gazette. The article could be about training, health tips, an interesting story about a Curly or anything of interest horse related. Please send all articles to the office before the deadlines. Awaken the writer within you!

Evaluating Horse Conformation.....3,4,5,9-15

AGM 2013 Information.....6,7

Gait Gene Study.....8

Kids and Curlies.....17

ICHO now offers DNA testing for:

<i>Ancestral only TX A&M</i>	\$25.00
<i>Parentage Only U of KY</i>	\$30.00
<i>Lp color TX A&M</i>	\$35.00
<i>CA- (Cerebellar Abiotrophy) VetGen</i>	\$35.00

Visit the website for more info or contact the office.

To obtain a mailed copy of the Gazette, there is now a \$10.00 yearly fee. You can always view the Gazette online for free on our webpage– <http://ichocurlyhorses.org> in the Members Only section and print a copy for yourself.



GAZETTE SCHEDULE

-  **WINTER February**
-  **SPRING May**
-  **SUMMER August**
-  **FALL November**

Submit Ads & Payment to: office@curlyhorses.org

Ad & Payment Deadlines:
[Winter Dec 15](#) [Spring Mar 15](#) [Summer Jun 15](#) [Fall Sep 15](#)

Gazette Ad Specials!

Stallion Station Ad– only \$10.00 per issue, \$40.00 for the year, color ad.

Business Card Ad– only \$10.00 per issue, \$40.00 for the year, color ad

All color Ads at Black and White Prices! All Gaz Color Ad fees reduced!!

Full Page Color \$40.00, 1/2 Pg Color \$20.00, 1/4 Pg Color \$10.00, Classified \$10.00

Submitting ads: *Pay for ads online on our webpage– <http://ichocurlyhorses.org>

All ads must be copy ready in word doc format or jpg, png. Since we have reduced our prices we need the ads in ready to print format. For photos png is preferred since it has the best resolution. We can no longer accept pdf format because it does not insert clearly for the Gazette editing process.

All Ads must be sent to the office with payment. Ads also appear on the ICHO webpage.

Thanks! office@curlyhorses.org

Gazette editor– Joan Henning



College of Agricultural and Environmental Sciences
College of Family and Consumer Sciences

Evaluating Horse Conformation

*Kylee Jo Duberstein, Equine Specialist
Department of Animal and Dairy Science*

When examining horses for conformation, either when considering a purchase or competing in horse judging contests, it is important to break things down into key principles to avoid becoming overwhelmed when putting the overall picture together. There are five main criteria to evaluate when examining a horse's conformation: balance, structural correctness, way of going, muscling, and breed/sex character (also known as type).

Balance is arguably the most critical aspect to evaluate when examining the horse. Balance is essential for both quality of movement and performance in any event, and is determined by the horse's bone structure. Balance refers to equal distribution of muscling and weight from the front of the horse to the back of the horse, from its top to its bottom and from side to side. However, balance is not determined by the horse's weight but instead by proper angles and proportions of different parts of the body. In other words, a horse can be light bodied or heavy bodied and still be balanced if its bone structure allows for equal distribution of that weight. Proper balance enables the horse to carry itself in a manner to allow for easy maneuverability, greater power and smoother movement.

Structural correctness is critical for soundness as well as correct and clean movement. This is determined by proper structure and alignment of bone, particularly pertaining to the legs. Structural correctness is tied very closely to balance and influences the way a horse moves.

Way of going, also known as tracking, refers to the way the horse moves. The horse is evaluated both for cleanliness and quality of movement.

Muscling is also a consideration when evaluating the horse, though not nearly as important as balance and structural correctness. The quantity, quality and distribution of the muscle are evaluated when looking at the horse from its sides, front and back.

Breed and sex character (i.e., "type") refers to how well a horse represents its particular breed and sex. Most breeds have unique qualities by which they can be identified. Judging a horse by its type refers to judging how well it resembles the ideal horse of that breed. This may or may not be important depending on the expectations of the horse. Horses competing in many performance events do not necessarily have to represent a breed or sex well to be competitive. However, for horses competing in halter events this criteria is important.

Evaluating Horse Conformation

How to evaluate if the horse is balanced

The first priority when looking at a horse is to determine if it is balanced. To begin with, the horse should carry equal weight on his front end and back end and on his topline and underline. This is determined by the skeletal structure of the horse allowing for correct proportion of the horse's parts. The neck, shoulder, back and hip should all be approximately equal lengths and the horse's topline should be shorter than its underline (Figure 1).



Figure 1: Ideal balance in the horse. All solid white lines are roughly equal in length. The dashed white line (length of topline) is shorter than the dashed purple line (length of underline).

A common flaw that negatively affects the horse's balance is a back that is long in relation to the neck and hip. An important ratio to consider when analyzing balance is the ratio of the topline to the underline. The topline is measured from the withers to the point of coupling. The underline is measured from a point under the belly between the horse's front legs to a point roughly even with the stifle (Figure 2). The topline should always be shorter than the underline in a balanced horse. A longer topline indicates that the horse has a long, weak back, which is often problematic due to long backs having weaker musculing. Longer back length also makes it difficult for the horse to bring its hind legs up under its body when it moves. The hind legs reaching under the body are the source of power for the horse to move forward and also allow the horse to maneuver and adjust easily. If a horse is unable to bring its hind legs well underneath its body, more weight must be carried on its front end, thereby reducing its power and maneuverability as well as leading to a more jarring impact for the rider.



Figure 2: The horse on the left represents good conformation — the topline is shorter than the underline. The horse on the right represents a horse with a long, weak back — the topline and underline are similar lengths.

Carrying too much weight on the forehand can also lead to future lameness of the front legs. However, when evaluating young horses, it is important to remember that they will grow faster at the hip than at the withers; therefore, a young horse (e.g., horses showing in weanling, yearling, or 2-year-old classes) may be downhill as it is growing but may catch up as it reaches maturity.

Another important yet easy to determine criterion of balance is hip and wither height. Hip and wither height should be approximately the same. Often, a horse can be slightly "uphill," or higher at the withers, without being penalized. If a horse is "downhill," or lower at the withers than at the hip, the horse will carry more weight on its front end and lack maneuverability and driving power from behind (Figure 3).

Another consideration that can be grouped with balance is depth of heart girth. Depth of heart girth is not quite as critical to a horse's balance but is considered in this section since it is an important measure of the body's capacity to house the heart, lungs and other vital organs. It is desirable for the horse to have a deep heart girth. When drawing a line from the withers to the chest floor, this length should be approximately the same as the distance from the chest floor to the ground and should be greater than depth of flank (Figure 4).



Figure 3: The horse on the left represents a balanced horse with roughly equal hip and wither height. The horse on the right represents a "downhill" horse with withers much lower than hips.

Proportions to consider when determining balance

When determining whether a horse is balanced, it is important to examine certain ratios and angles of the body. The slope of the horse's shoulder is one of the most crucial aspects to consider. The slope of the shoulder ties in closely with many other body parts and proportions, such as length of back and neck. The slope of the shoulder measures the angle of the horse's scapula and is commonly measured from the withers to the point of the shoulder. If a line is drawn from the withers to the point of the shoulder and another line is drawn through the withers perpendicular to the ground, the ideal shoulder angle is approximately 45 degrees (Figure 5). The slope of the shoulder directly influences the horse's stride length and smoothness. Too straight of a shoulder causes the horse to not be able to easily extend its front legs and therefore have a very short, jarring stride. Horses with a nicely sloped shoulder have a free flowing, smooth, long stride since they are able to reach farther with their front legs.



Figure 4: Depth of heart girth is a measure of body capacity. Ideally, the depth of heart girth (white solid line) is roughly the same as the distance from the chest floor to the ground (blue dashed line) and should be greater than depth of flank (solid red line).



Figure 5: Evaluation of shoulder slope. The horse on the left has a more ideal shoulder with an approximately 45-degree angle. The horse on the right has a much steeper, straighter shoulder, which can lead to more jarring movement and shorter stride length.

The slope of the shoulder greatly influences the look of the horse's neck. A horse with a steep shoulder often has withers that tie into the neck much farther forward than a horse with a good shoulder slope, which leads to a shorter neck and a longer back. Such a horse will typically have a shorter stride coupled with more weight on its front end due to its longer back. A short neck is typically an undesirable characteristic because it causes the horse to lack flexibility of the neck, as well as typically being associated with a steep shoulder angle. Another important consideration when examining the horse's neck and shoulder is the point where the neck ties into the chest at the shoulder. It is preferred that the horse's neck tie in high to its chest to allow for greater slope to the shoulder and a neater, more refined neck. If the horse's neck ties in low, the neck tends to be much heavier at the base and the shoulder is usually straighter (Figure 6).



Figure 6: The shape and tie-in points of the neck also influence the shoulder. The horse in figure 6a ties in high (white arrow) while the horse in figure 6b ties in low, giving it a heavier and less refined neck. Also, figure 6c shows a desirable 2:1 topline to underline ratio of the horse's neck, whereas the horse in figure 6b has almost a 1:1 ratio, contributing to a straighter shoulder and lower tie in.



2013 ICHO AGM Convention is being hosted by Mitch and Cheryl Wilkinson in beautiful Pagosa Springs, CO from Aug 15th through Aug 18th. Pagosa Springs is known for its wonderful healing Hot Springs. <http://pagosa.com/pagosa-hot-springs/>

Fly into Durango airport from your connecting airport, most will be from Denver. Durango Airport-<http://www.durangogov.org/index.aspx?nid=202> from Denver Airport-<http://www.flydenver.com/> car rentals are available in Durango.

Spend Friday Aug 16th on the famous Durango/Silverton steam train- <http://www.durangotrain.com/ride-us> in the gorgeous San Juan mountains. Stop in the old mining town of Silverton <http://www.durangotrain.com/silverton> for lunch and head back to Durango via the train in the afternoon and the AGM meeting on the train. About Du-

rango, CO <http://www.durangotrain.com/durango-area>

Spend all day Saturday Aug 17th with Mitch and Cheryl at their ranch with home cooked meals and speakers/demos and AGM banquet Sat evening. Demos/speakers & Sat Banquet fee \$25.00 per person.

This is a must attend AGM event with much to do and see in beautiful Colorado, a vacation paradise. The famous Durango/Silverton train ride scheduled for Friday leaves at around 8:00 in Durango, CO at the train station. ICHO has 10 seats reserved at \$142.04 each. [http://www.durangotrain.com/files/Prospector%20\(1\).jpg](http://www.durangotrain.com/files/Prospector%20(1).jpg)

Since this train books up fast you must let the ICHO office know by Feb 20th that you are attending the train trip and send a check to ICHO for \$142.00 to reserve your spot by Mar 31th or earlier. This is a very popular train ride for vacationers so we must book early!

If you are flying into Durango, CO book your hotel early as they also fill up quickly for summer events. Hotels are cheaper in Pagosa Springs, CO about an 1 hr 20 min away . Book early in Pagosa Springs too as they also fill up quickly for summer events.

Mitch and Cheryl have no more room for guests at their ranch, They are full. wdocmitch16@yahoo.com

This will be a pay as go AGM, Friday Aug 16th fee is \$142.04 (paid in advance) for the train and food costs are a la carte (pay for all your own meals). Sat Aug 17th your cost will be for meals a la carte, Breakfast & lunch. Speakers/demos & dinner is \$25.00 available at Mitch & Cheryl's . Everyone must pre- register for meals so Cheryl can plan her food needs. Pay for each meal that day as you would if eating at a restaurant. This helps keep our costs down for AGM attendees. Those staying at Mitch and Cheryl's will have more meals there so plan on that extra meal cost as you would if eating out.

Please pay for your Train ticket online on the ICHO home page: <http://ichocurlyhorses.org> and please pre-register so we know what meals you will be paying for at Mitch and Cheryl's. Fill out the Pre-registration AGM form online on the home page- <http://ichocurlyhorses.org>

This will be a fabulous AGM, don't miss it! See you there.....

About Pagosa Springs~



Pagosa is favored with around 300 days of sun each year, as well as four distinct seasons.

The town is named for the sulfur springs located there, including the world's deepest geothermal hot spring.^[7] This "Mother Spring" feeds the pools hosted by three local hot spring soaking locations within town. The largest is at [The Springs Resort & Spa](#) which hosts the mother spring. The mineral-rich water continues to be celebrated for its therapeutic powers.^[8] The Utes called the sulfur-rich mineral springs *Pah gosah*,^[9] meaning "healing waters", and visitors from all over the world come to enjoy its hot baths. Some come to cure ailments, others to simply relax in the mineral-rich waters.

People gather at the Pagosa Colorado, Hot Springs, one of the largest and hottest natural springs in the world, and one which continues to be celebrated for its therapeutic powers. The Utes called the sulfur-rich mineral springs "Pah gosah" meaning "healing waters" and visitors from all over the world come to enjoy its hot baths. Some come to cure ailments, others to simply relax in the mineral-rich waters.



ICHO Gait Gene Study

Purpose: To allow ICHO members to DNA test their Curlies for the gait gene, DMRT3. ICHO will document each horse tested in a database and post results on our Gait Gene research webpage. Data including:

Horse's Name, Reg# (*Owner's option to list horses name & reg# with posted results on the webpage*) sex of horse, Gaited Lines, gait/s performed, sire & dam & gait/s performed, date tested, LabACC#, and if DMRT3 gait gene is present in 1 or 2 copies.

ICHO is host of the first Curly horse Gait Gene Study in USA. This information is valuable to know how many Curlies carrying Gaited lines have inherited the Gait Gene and what other lines also carry the gait gene and if they are heterozygous (1 copy) or homozygous (2 copies) for DMRT3. We will also document gait's performed to the number of gait genes inherited. This study is for Curlies and Curly Smooth Coats only and not for other non-Curly gaited breeds.

Requirements: Mane or tail pulled hair samples, a TYPED in DNA Gait Gene form typed, cost \$30.00 DNA test per Curly. All forms and payment sent to ICHO Office. Payment may be by check, money order or PayPal. For international and all non USA Payments, use PayPal on our webpage <http://ichocurlyhorses.org>

All testing will be done at TAMU.

Time Frame: The study will take place for 2 years starting June 1, 2013 through June 1, 2015. *If a need arises to continue the study longer, it will be discussed by the board*

Please fill out the Gait Gene DNA Form completely found here on our webpage under DNA forms- <http://ichocurlyhorses.org>

The Form must be typed for ease of reading, just type in the required info, then print, sign, date and check off permission area for use of your horse's name on our results webpage.

Send the completed form and pulled hair sample with payment or copy of payment made online to the

ICHO Office, HC 31 Box 102A, Williamsburg, NM 87942.

You will receive a copy of the DNA results mailed to your address as well as being part of Gait Gene Study the results will be posted on our research webpage.

Thank you for being a part of the ICHO GAIT GENE STUDY!

How the neck ties in to the shoulder also tends to also influence the shape of the horse's neck. An important ratio to consider when evaluating a horse's conformation is the ratio of the top of the neck to the bottom of the neck. The topline of the neck is measured from the poll to the withers and the underline is measured from the throatlatch to the shoulder junction. The ideal ratio would be a 2:1 topline:underline ratio. This allows the horse to have a more sloped shoulder since the withers will be set back well behind the point of the shoulder and also allows the horse to flex at the poll and carry his neck in a slight arch (Figure 6a). A horse that has a longer underline than topline is said to be "ewe necked." This is a very undesirable conformation trait as it typically is associated with a straight shoulder and a lack of ability to flex and lower the head.

One other ratio that is important to consider when looking at the horse's neck is the ratio of the throatlatch to the length of the head. The throatlatch is measured from the poll to the windpipe and should be roughly half the length of the head as measured from the poll to the muzzle. If the throatlatch is longer and thicker than this, it restricts the horse from flexing at the poll. Horses with deep, coarse throatlatches can possibly have trouble breathing when asked to flex their head towards their chest. This also detracts from a refined show quality appearance.

Finally, the length and turn of the hip is also critical to a horse's athletic ability. In general, larger hips are better since they provide more power and musculature to propel the horse forward and carry its weight. Almost all disciplines of riding have maneuvers that require power and adjustability. The larger and better shaped the hip is, the more power the horse will have. A horse's hip should be approximately the same length as its back. It is also important to consider the way the hip is shaped. The horse should ideally have a "nicely turned" hip and croup. The slope of the hip should be roughly the same as the slope of the shoulder. A horse with too flat of a hip will have trouble bringing its hind legs under itself, while one with too steep of a hip (a "goose rump") will lack the range of motion to provide power to the horse's movement. Additionally, the hip should tie in low to the gaskin muscling (muscling of the upper leg).

How important is the head when looking at balance?

The major function of the head, apart from essential purposes such as breathing, eyesight, etc., is to serve as a pendulum to balance the horse as it moves; therefore, it is critical for the head to be proportionally sized to the rest of the horse's body. The horse's head is heavier in proportion to the length of its neck than any other animal in the world and weighs, on average, 40 pounds. If the neck is the proper length and the head is proportionally sized to the rest of the body, it can function as a balancing aid for the horse's movement. A classic example of this is the lame horse "head bobbing." When a horse has lameness or injury to a front leg, it limps by using its head to pull his body upwards; it lifts its head and pulls in the opposite direction of the injured leg. When it is lame in a hind leg, it will limp by lowering its head and pulling in the opposite direction of the back leg. In both instances, the head is acting as a pendulum to take weight off of the injured leg. Since the horse uses its head for balance, it is critical that the weight of the head be in proportion to the body. When a horse has too large and heavy a head, it tends to be unable to move weight off of its front end and therefore lacks in athletic ability.

Although the "ideal" head will vary somewhat among breeds, a few basic principles pertaining to the size and shape of the head are fairly universal. The distance from the poll to the midpoint between the eyes should be



Figure 7: A horse with a refined throatlatch. The distance from the poll to the underside of the jaw is less than the distance from the poll to the muzzle.



Figure 8: A closer look at hip angles. The horse on the left has a desirable hip with a nice turn and good length. The horse on the right has a very short, steep hip.

Although the "ideal" head will vary somewhat among breeds, a few basic principles pertaining to the size and shape of the head are fairly universal. The distance from the poll to the midpoint between the eyes should be

half the distance from the midpoint of the eyes to the midpoint of the nostrils. In other words, the eye will be positioned at about one-third of the distance from the poll to the nostrils. Also, the width of the horse's head from the outside of one eye to the outside of the other should be approximately the same length as the distance from the poll to a horizontal line drawn between the eyes. This width is important to provide room for the brain and also for sinuses, tear ducts and breathing canals located beneath the skull, as well as being aesthetically appealing.

Common structural characteristics of the head that are generally faulted are the Roman nose and the platter jaw. A Roman nose describes a condition in which the front of the horse's face is rounded outwards as opposed to being flat (Figure 10). This usually does not affect the use of the horse other than it is not as attractive and often adds weight to the horse's head. A platter jaw is condition that describes excessively large jaws on the horse. It also detracts from a refined look and is undesirable because it adds weight and interferes with the horse's ability to flex at the poll.

Other important considerations when examining the head are nostril size and eye size and shape. Nostrils should be large and round to allow maximum intake of air when the horse is working hard and breathing heavily. It is also desirable for the horse to have large, dark eyes set far apart and to the outside of the head to allow for good vision. It is important to understand the horse's field of vision in order to understand why eye placement and size is important. Horses have more developed monocular vision than binocular vision. The horse sees a different picture out of each eye (monocular vision) very well but has more limited binocular vision (seeing the same picture in both eyes of what is directly in front of it). Because of these factors, horses with small eyes or eyes that are too close together are faulted because their field of vision may be more limited.

While it is important to be able to evaluate the horse's head, both for proportionality as well as refinement, it is equally important to recognize that the head is not as critical as other previously discussed proportions when determining balance. Refinement and attractiveness of the head should never take precedence over other measures of balance or structural correctness.

How to Evaluate Structural Correctness

After examining the horse for balance, a close second in importance is structural correctness. A horse's structural correctness is mainly determined by the structure and position of the bones in the legs. This is critical because the horse's legs take incredible impact in most riding disciplines. Any conformational flaw causes deviations in where the horse absorbs concussion. Conformational defects affect the horse's way of moving and can also lead to future lameness due to excessive stress placed on certain areas of the body during athletic movements. A horse carries approximately 65 percent of its weight on its front legs, thereby making the front legs the most likely area for injuries resulting from trauma or concussion. Conformational defects cause deviations in the way



Figure 9: The horse on left has an ideal head. Note the distance between the eyes and the position of the eyes relative to the head. The horse on the right has a head that is too narrow for its length.



Figure 10: The horse on the left has a nicely shaped, refined head. The horse on the right has a slight Roman nose.





Figure 11: The horse's field of vision.

the horse moves and places its hooves on the ground, and therefore affects the way impact travels up the leg. The more structurally correct the horse's legs are, the more evenly distributed the impact will be and the less likely the horse will be to have chronic or acute injuries.

Front leg conformation

When analyzing the conformation of the horse's legs, it is important to examine the horse from a side view, a front view and a hind view. When observing the front legs from a front view (facing the horse), one should be able to draw a straight line from the point of the shoulder to the ground that bisects the leg exactly in half (Figure 12). The hoof and knee should point forward and be bisected in half by the line. The width of the hooves at the sole should be roughly the same as the width of the legs as they originate from the chest. Deviations from this cause extra strain to be placed on different regions of the legs.



Vertical line from point of shoulder should fall in center of knee, cannon, pastern, and foot.
Figure 12: Conformation of the front leg as viewed from the front. Ideal conformation is represented by the horse farthest to the left. All other diagrams represent undesirable structural conformation of the front legs.

It is important to understand that all of these conformational defects can lead to lameness and blemishes because they cause excessive pressure to be centered on a certain area of the legs. For example, base narrow horses are predisposed to landing on the outside of their hoof wall. This increase in pressure on the outside of the hoof wall can lead to conditions such as ringbone, sidebone and heel bruising. At the opposite extreme, base wide horses tend to toe out. This causes weight to be distributed more on the inside of the horse's hoof and also predisposes them to ringbone and sidebone. Deviations of the knee (bowlegs, knock knees, etc.) cause increased strain on this joint and the ligaments and tendons attached to it. Knock knees (knees set to the inside) tend to also be associated with pigeon toes and therefore additionally have rotation of either the cannon bone, fetlock or pastern. This causes extreme pressure to be placed on the point of rotation. All of these deviations cause an unequal line of concussion. The concussion from every stride the horse takes causes an impact to travel up the leg unequally. The area that absorbs more of the concussion is more likely to be damaged.

When examining the horse's legs, the horse should also be viewed from the side (Figure 13). A straight line should be able to be drawn from the center of the scapula through the front edge of the knee and bisect the hoof. Structural deviations that may be observed are "camping out" and "camping under." A horse that is "camped out" will stand with its legs too far in front of it, causing excessive pressure to be placed on the hooves as well as the knee and fetlock joints. These joints must almost bend backwards for the horse to stand in this position. This stance can be due to conformational defects or sometimes are an indication of hoof pain, such as navicular. The horse that is "camped under" will stand with its legs too far underneath it, causing increased strain to be placed on the ligaments and tendons of the leg. It also causes the horse to carry too much weight on its front end, which can cause lameness due to stress and also causes the horse to have a short, choppy stride and potential stumbling. It is important to recognize that the way the horse is standing greatly influences this view from the side. Be sure the horse is standing naturally and squarely before concluding that it is either naturally camped out or camped under. Many horses will stand this way simply because they are not correctly stood up by the handler.

Two other conditions that may be observed from the side of the horse are calf knees (back at the knee) and buck knees (“knee sprung” or over at the knees). If the line does not bisect the knee but instead is to the front of the knee (i.e., the knee looks as if it is bending the wrong way), the horse is considered calf kneed. This is typically considered to be the more problematic of the two faults since it causes excessive strain on the back ligaments and tendons of the leg as well as pressure on the joints. If the line is in back of the knee (i.e., the knee looks like it is bent even when the horse is fully bearing weight on the leg), the horse is considered “over at the knees” or “buck kneed,” a condition that also distributes pressure unequally over the leg.




Figure 13: Conformation of the front leg when viewed from the side.

Hind leg conformation

The horse’s hind legs should also be examined for structural deviations by viewing them both from the side and from behind the horse. When facing the hindquarters of the horse from behind (standing behind the horse looking at its tail) one should be able to draw a straight line from the horse’s buttock through both its hock and fetlock (Figure 14). The hooves on the back leg will not be as straight as the front hooves; it is normal for these to point slightly outward.




Figure 14: Conformation of the hind legs as viewed from behind. The horse farthest to the left represents ideal conformation while the others represent commonly seen structural flaws.

Problems associated with horses that are either cow hocked or base narrow include additional stress placed on the leg and joints (bog and bone spavins can be associated with cow hocks), as well as potential interference when the horse moves due to part of the legs being closer together than normal. Horses that are bow legged have

the opposite condition of cow-hocked horses. Bow legged and base wide horses often have trouble being able to properly use and push off of their hind legs and therefore can lack the athletic ability of a horse with proper conformation.

When examining a horse's hind legs from a side view with the horse standing squarely, you should be able to draw a line perpendicular to the ground that touches the point of the horse's rump cheek, the back of the hock and the back of the fetlock (Figure 15). This conformation of the hind leg allows the horse to carry weight well over its hindquarters and reach under itself as it moves to allow for maximum power. A horse that is sickle hocked has too much angle, or "set," to its hocks. A horse with sickle hocks will look like it has too much bend at the hock when standing squarely and often will stand camped under (hooves too far under the body). When the hock angle looks normal on a sickle-hocked horse, the hind legs will often be farther behind the horse than they should be (camped out). This puts extreme stress on the joint and surrounding tendons and ligaments and can lead to conditions such as curbed hocks, bog spavin and bone spavin. Horses that have the opposite conformation of a sickle-hocked horse are said to be post legged. These horses have extremely straight angles to their hocks. This puts extreme strain on the hock and can also cause bog spavins and bone spavins.




Figure 15: Conformation of the hind legs as viewed from the side. The horse in figure 15b represents a horse with sickle hocks (too much bend). The horse shown in figure 15d represents a post-legged horse.

Lower leg conformation

A final important consideration when examining the horse's legs, both front and hind, is the angle and length of the pastern. The pastern acts as a shock absorber for impact from the hoof landing on the ground and affects the soundness of the entire leg. The pastern angle typically matches the shoulder angle and should be approximately 45 degrees when measured from the horizontal line of the ground (Figure 16). The pasterns should be long enough and sloped enough to absorb impact. Too straight of a pastern angle (often resulting from pasterns being too short) causes increased jarring of the leg and joints when the horse moves and can lead to windpuffs, enlargement of the sesamoid and joint pain (Figure 16c). Pasterns that are too straight may also affect the navicular bone, causing it to come in contact with the short pastern bone and leading to erosion of the bone or the formation of bony spurs ("navicular syndrome"). In spite of the problems associated with pasterns that are too short and straight, it is also possible for the pastern to be too long or too sloped. Horses with this problem have an increased risk that the fetlock will hit the ground upon severe impact (Figure 16b). This can cause fractures in the sesamoid bones at the back of the fetlock.



Figure 16: Horse with (a) ideal pastern angle, (b) pasterns with slightly too much angle, and (c) much too steep an angle.

Another important consideration when examining the pastern angle is to check that the pastern angle and the hoof angle are approximately the same. A horse with a very steep hoof angle when compared to its pastern angle is said to be club-footed (Figure 17). This is undesirable because the steep angle of the horse's hoof will not only



Figure 17: A horse with a club foot on its right foot.

change the way it moves but also makes the horse prone to foot and leg lameness. Additionally, it is not desirable for the horse to have a hoof that is much more angled in comparison to the angle of the pastern.

How Structural Correctness Influences Way of Going

Leg conformation significantly impacts the way the horse moves. A horse with straight, correct legs has maximum range of motion and moves cleanly and correctly without any interference (hitting one leg against another). Horses with structural deviations in their legs do not generally move their legs straight forward when traveling. Horses with pigeon toes typically “wing out” when they move. As the horse has its knee bent and its leg brought back behind it, it must swing its lower leg to the outside of a straight line to place it back in front of itself. This is due to the natural angle that the horse's legs are set at due to the pigeon toes. It is not, however, as serious a problem as the horse that toes out. These horses will “wing in” as they move forward. This causes the horse to potentially interfere and hit its other leg as it is moving one leg forward. Horses that are base narrow tend to “rope walk,” or cross one front leg over the other when moving, and also have a tendency to interfere (Figure 18).




Figure 18: How structural deviations affect movement. The horse in figure 18a has ideal conformation and tracks straight. The horse in figure 18b is splay footed (toes out) and wings in when tracking. The horse in figure 18c is pigeon toed (toes in) and wings out when tracking. The horse in figure 18d is base narrow and rope walks when tracking.

In addition to watching the horse from the front and rear to determine its footfall, it is also important to watch the horse move from the side to determine stride length and quality. In some disciplines and breeds, such as Quarter Horses and Thoroughbreds, the horse should have a long, smooth stride that is very flat with very little knee action (Figure 19a). For certain breeds such as Arabians, Morgans and Saddlebreds, the horse should have more knee flexion and raise its legs higher (Figure 19b). It is important for all horses to bring their hind legs well underneath themselves to power their movement. It is also important when watching the horse move from all angles to be sure that the horse does not “interfere” or hit its legs together at any point in its stride.



Figure 19: The horse in figure 19a represents a horse with little knee action and a long stride length. The horse in figure 19b represents a horse with a greater degree of knee action.

Evaluating Muscling

Quantity and quality of muscling can be another important consideration when evaluating conformation, though not to the same extent as balance, structural correctness and way of going. It is important to recognize that



Figure 20: The black arrow points to the pectoral “V” that shows muscle definition on the chest.



Figure 21: Points to evaluate muscling on the horse when viewing from the side.



degree of muscling is largely determined by breed, with some breeds naturally being more heavily muscled (e.g., American Quarter Horse) than others (e.g., Thoroughbred).

Points on the horse to evaluate muscling include the chest and forearm, loin, stifle and gaskin. In these areas, quantity and quality of muscling can be evaluated. A deep pectoral “V” is desirable in the chest (Figure 20).

It is also desirable for the forearm and gaskin muscling to have definition and be long and smooth versus short and bunchy. When examining the horse from the side, the muscling over the back and loin area should be smooth and defined rather than weak. The back should tie smoothly into the hip without severe angles or bumps. The muscling over the entire topline should be smooth and flow together seamlessly (Figure 21).

On the hindquarters, the muscling over the stifle and gaskin should also be well defined but not bunchy. The muscling around the stifle should be the widest part of the horse when viewed from behind (Figure 22). The muscling around the inner and outer gaskin should also be wide and well defined. In general, it is desirable to have a smooth, well-defined muscle pattern over the entire horse.

Summary

Evaluating conformation involves analyzing a particular breed and type of horse for balance, structural correctness, way of going, muscling and perhaps breed and sex character. Breed and sex character were not discussed in this publication, as they are typically the least important consideration in evaluating conformation and can vary greatly between breeds. Essentially, breed character simply refers to how well an individual horse represents the ideal standard for its breed. Pictures of ideal breed individuals can typically be found on breed organization websites or brochures. Breed characteristics should not take precedence over balance, structural correctness or way of going. Proper conformation is important to allow the horse to be balanced, powerful and maneuverable as well as to maintain soundness over its lifespan. Evaluating a horse based on its conformation should give an idea of how the horse might perform a given task and how sound it will stay. There are exceptions to every rule and there are definitely horses with poor conformation that go on to be great performers, and horses with crooked legs that never take a lame step. However, looking at conformation is one of the most reliable predictors of both athletic ability and soundness in the majority of horses. It is a useful skill to develop an educated “eye” and be able to knowledgeably assess conformation. In youth and collegiate horse judging competitions, it is critical to be able to place classes and give reasons using the five main criteria of balance, structural correctness, way of going, muscling and breed/sex character.

Figure 22: Black arrows point to muscling over the stifle. When viewed from behind, this should be the widest part of the horse.

Note- Article on Conformation pertains to walk, trot, canter horses


Learning *for* Life

Bulletin 1400

April 2012

The University of Georgia and Ft. Valley State University, the U.S. Department of Agriculture and counties of the state cooperating. Cooperative Extension, the University of Georgia College of Agricultural and Environmental Sciences, offers educational programs, assistance and materials to all people without regard to race, color, national origin, age, gender or disability.

**An Equal Opportunity Employer/Affirmative Action Organization
Committed to a Diverse Work Force**



Woodke's
Curly Horses

Registered ABC & ICHO Curly Horses
Gaited & Non Gaited Curlies

Monterey, Indiana
574-542-2457
marvwoodke@gmail.com



Curly Horse Rescue, Inc.
RESCUE REHAB REHOME

curlyrescue.com

Kids and Curlies



This is Erika, on Mocha Baby Twist, ICHO #1222-D, at her first Dressage schooling show last season. A happy little girl! Since, Erika has not missed a dressage lesson, all winter long, in preparation for this season's shows!



Original Curly Whimsy Art inspired by Curly horses and the colorful southwest. Items available at:

<http://cafepress.com/bnrk>

<http://cafepress.com/curlywhimsymares>

<http://cafepress.com/curlyvictoria>

Also available on fabric!

http://www.spoonflower.com/profiles/curly_whimsy

